

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL																										
97-05-19	<table border="1"> <thead> <tr> <th>ELKAY OPTIONS</th> <th>OPTION</th> <th>DEFINITION</th> <th>ELKAY</th> </tr> </thead> <tbody> <tr> <td rowspan="7"><u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u></td> <td>-C</td> <td>Complete with faucet</td> <td></td> </tr> <tr> <td>-CS</td> <td>Three faucet holes on 2 in. centers</td> <td></td> </tr> <tr> <td>-F</td> <td>Foot valve included</td> <td></td> </tr> <tr> <td>-G</td> <td>Specific color</td> <td></td> </tr> <tr> <td>-K</td> <td>Knee valve included</td> <td></td> </tr> <tr> <td>-L</td> <td>Faucet mounted on cooler</td> <td></td> </tr> <tr> <td>WO</td> <td>With Overflow device</td> <td></td> </tr> </tbody> </table>					ELKAY OPTIONS	OPTION	DEFINITION	ELKAY	<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>	-C	Complete with faucet		-CS	Three faucet holes on 2 in. centers		-F	Foot valve included		-G	Specific color		-K	Knee valve included		-L	Faucet mounted on cooler		WO	With Overflow device	
ELKAY OPTIONS	OPTION	DEFINITION	ELKAY																												
<u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u>	-C	Complete with faucet																													
	-CS	Three faucet holes on 2 in. centers																													
	-F	Foot valve included																													
	-G	Specific color																													
	-K	Knee valve included																													
	-L	Faucet mounted on cooler																													
	WO	With Overflow device																													
99-07-01	SINK	See Introduction about changes to rough in dimensions.	17550	17550-M1557	ELKAY	BE-50A																									
01-10-02	SINK	See Introduction about changes to rough in dimensions.	17550	17550-M1581	ELKAY	BE-50B																									
00-12-14	SINK	B = 38-13/16 C = 18-1/4 J = 15 Δ = 31 See Introduction about changes to rough in dimensions.	17560	17560	ELKAY	CHS-1716 CHS-1716-C 16-3/4 X 15-1/2																									
11-11-16	LAVATORY	See Introduction about changes to rough in dimensions.	17560	17560-M1675	ELKAY	CHSB1716C CHSB17162																									
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-11/16 J = 15 Δ = 33-5/8 See Introduction about changes to rough in dimensions.	17560-WC 17550-WC	17560-WC 17550-WC Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with half moon facing down.	ELKAY	EBFA-4 EBFA-8 EBFSA-4 EBFSA-8																									

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
10-05-27	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-M1654	ELKAY	ECDFPW314C
05-06-24	DRINKING FOUNTAIN	B = 44-5/8 for -SP1T B = 44-1/16 for -008 C = 18-1/4 for -SP1T C = 15-3/4 for -008 H = 14-5/8 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-T 17560-WC-008	ELKAY	EDF-10-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EDF-14-C
05-06-24	DRINKING FOUNTAIN	B = 58-1/8 C = 20-3/4 H = 20-11/16 J = 16-7/8 Δ = 40 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-017	ELKAY	EDF-18-C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66 17900	17720-66-66 17900-M1498 -M1498 is preferred	ELKAY	EDF-20-C
19-12-04	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1788	ELKAY	EDF310C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
97-10-21	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Manufacturer provides wall hanger which allows 1/4 in. or more between hanger and face of fountain for head of fastener.	ELKAY	EDFA-11-C
02-04-25	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Manufacturer provides wall hanger which allows 1/4 in. or more between hanger and face of fountain for head of fastener.	ELKAY	EDFAC-211-C
97-10-21	DRINKING FOUNTAIN	Use Elkay MP-24 mounting box. See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting box is provided by manufacturer.	ELKAY	EDFB-12-C
97-10-21	DRINKING FOUNTAIN	Use two Elkay MP-24 mounting boxes. See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting box is provided by manufacturer.	ELKAY	EDFBC-212-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EDFP-10-C
15-03-02	DRINKING FOUNTAIN	B = 51-9/16 C = 18-1/4 H = 23-15/16 J = 11 Δ = 34-1/8 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	EDFP19C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66	17720-66-66 This carrier is used to mount Elkay MP-86 mounting plate onto which the fountain is mounted.	ELKAY	EDFP-110-C
97-04-28	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17905	17905-M1436	ELKAY	EDFP-117-C
05-06-24	DRINKING FOUNTAIN	B = 38-5/8 C = 18-1/4 H = 9-3/16 J = 12 Δ = 36 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EDFP-14-C
00-02-10	DRINKING FOUNTAIN	B = 43 C = 36 C' = 20 J = 15-7/8 Δhigh = 39-7/8 to rim Δlow = 34 to rim See Introduction about changes to rough in dimensions.	17905	17905-M1436 Lower three header rods provide support to the bottom of manufacturer's mounting plate and are not actually fastened to the mounting plate.	ELKAY	EDFP-17-C
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	EDFP-210-C EDFP-214-C
14-12-02	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550	17550-WCBL-M1663	ELKAY	EDFP217C EDFP217FPC EDFP217FPK
19-02-08	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EDFPBVM117FPK

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720-66	17720-66-66 This carrier is used to mount Elkay MP-86 mounting plate onto which the fountain is mounted.	ELKAY	EDFPW-114-C
12-06-18	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EDFPVR217RC
99-07-22	DRINKING FOUNTAIN	B = 35-1/8 C = 24 H = 6-7/8 Δ = 33-3/4 to rim See Introduction about changes to rough in dimensions.	17560	17560/1558	ELKAY	EDFP-220-RC
18-11-20	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	EDFPBWM114C
02-05-30	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550	17550-M1590	ELKAY	EDFPAM117C EDFPBM117C
02-05-30	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17720	17720-M1589	ELKAY	EDFPW114C EDPPB114C
05-06-24	WATER COOLER	B = 51-1/2 C = 18-1/4 H = 6-15/16 J = 6 Δ = 34-3/4 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-R	ELKAY	EHFA-8 EHFSA-8
12-2-2	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	EHWM214C EHW214C
1-23-18	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-M1649	ELKAY	EHW214FPK EHWM214FPK

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
12-2-13	FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EHWM217C EHW217C
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 19-13/16 J = 15 Δ = 33-5/8 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	EIOA-4 EIOA-8
17-06-22	LAVATORY		17720	17720-M1589	ELKAY	ELV-1817 ELV-1817CS3
22-11-30	LAVATORY	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1561	ELKAY	ELV-2219 ELV-2219-CS ELVWO-2219 ELVWO-2219-CS WASH-UP 22 X 19
24-10-09	LAVATORY	See Introduction about changes to rough in dimensions.	17560	17560-M1775	ELKAY	ELVWOSACTMC
14-01-29	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	EMABF8WS EMABF8WSSK EMABFDWS
19-01-07	WATER COOLER	B = 38-13/16" C = 18-1/4" C' = 18-1/4" D = 21-11/16" E = 32-5/16" F = 15-3/16"	17560	17560-WCBL	ELKAY	EMABFTLR8 EMABFTLDDWSL K EMABFTLDDLC
20-06-23	WATER COOLER		17560	17560-WC	ELKAY	EMABF8L
98-09-16	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	ERP2-8-C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
99-02-18	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	ERFP-2-8
05-06-24	LAVATORY	See Introduction about changes to rough in dimensions.	17380-HD	17380-HD-66	ELKAY	ESLV-2820 SURGEON'S LAVATORY 22 X 19
05-06-24	WATER COOLER	B = 59-9/16 C = 18-1/4 H = 22-3/16 J = 12-3/4 Δ = 40 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	ESRWC-8 70 lb shipping weight ESRWC-13 72 lb shipping weight
18-05-11	SINK	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1765	ELKAY	ESS-2520 ESSB-2520 ESSW-2520 SCRUB-UP 25 X 19-1/2
01-05-29	SINK	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1567	ELKAY	ESS-4924-R ESS-4924-R-F-C SERVICE SINK 49 X 24
05-06-24	WATER COOLER	B = 56-13/16 C = 18-1/4 H = 19-7/16 J = 12-3/4 Δ = 40 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-R	ELKAY	ESWA-8 ESWA-13

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EWA-4 EWA-8 EWA-14 EWA-16 EWA-20
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EWCA-4 EWCA-8 EWCA-14
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC 17560-WC	ELKAY	EWHA-8 EWHA-14
	SINK	B = 46-11/16 C = 47 H = 20 J = 5-3/8 Δ = 36	17720	17720-M1503	ELKAY	EWMA-4820 MULTIPLE STATION 45 X 20
	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1449	ELKAY	EWMA-6020 EWMA-6020C MULTIPLE STATION 57 X 20
14-01-14	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1716	ELKAY	EWMA7220 EWMA7220C
12-05-14	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1684	ELKAY	EWMA9620C EWMA9620 EWMA96204 EWMA96208
03-05-23	SINK		17720	17720-M1600	ELKAY	EWSF13026 EWSF13026SACC EWSF130261

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
03-05-23	SINK		17720-66	17720-66-M1601	ELKAY	EWSF-26026 EWSF- 26026SACC EWSF26026KWC
02-02-12	SINK	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1562	ELKAY	EWS2520 EWS2520FC EWS2520W6C SCRUB-UP 25 X 19-1/2
01-05-30	SINK	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1562	ELKAY	EWS-2520-F-C SCRUB-UP 25 X 19-1/2
01-04-17	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1460	ELKAY	EWS-2520-K-C SCRUB-UP 25 X 19-1/2
21-03-08	SINK	A = 24-1/4 C = 17 Y = 5-3/8 Δ = 36 See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1562	ELKAY	EWS-2520-W4-C EWS-2520-W6-C SCRUB-UP 25 X 19-1/2
02-02-12	SINK	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1587	ELKAY	EWS3120 EWS3120FC SCRUB-UP 31 X 19-1/2
10-08-10	LAVATORY	See Introduction about changes to rough in dimensions.	17560	17560-M1659	ELKAY	EWSFAD1362 EWSFAD136201
12-03-16	SINK	See Introduction about changes to rough in dimensions.	17720	17720-M1684	ELKAY	EWSFAD132620S ACC EWSFAD13620

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 37-1/8 C = 36 C' = 18 H = 29-5/8 Δ = 40 Δ = 32-1/2 See Introduction about changes to rough in dimensions.	17550- WCBL	17550-WCBL-013	ELKAY	EWTLA-8 EWTLA-14 EWTLA-16
14-09-01	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EZOSTL8C
05-06-24	WATER COOLER	B = 37-5/8 C = 36-1/2 C'= 18-1/4 D = 20 E = 32-1/8 F = 14-1/4 Δhigh = 36-13/16 Δlow = 31-5/16 See Introduction about changes to rough in dimensions.	17560- WCBL 17550- WCBL	17560-WCBL 17550-WCBL	ELKAY	EZSTL-8 EZTL-8 EZSTLDDC
12-07-03	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EZSTLDDWSVRLK EZSTL8LC EZSTL8WSLK EZSTL8WSVRSK
05-06-24	WATER COOLER	B = 31-1/2 C = 18-1/4 H = 17-9/16 Δ = 31 5/16 See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	EZ-4 EZS-4 EZ-8 EZS-8 EZS8GL EZS8L
18-07-03	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	EZS8S
12-07-03	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	EZS8WSLK EZS8WSSK

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
10-11-16	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EZSTL8C
16-1-26	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	EZSTLVR8
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-13/16 Δ = 35-3/8 to bubbler See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC * 17560-WC *	ELKAY	LIEA-8 LISEA-8
				Use row Z with plates mounted upside down. Use only row Z on bottom plate.		
05-06-24	WATER COOLER	B = 38-7/8 C = 36-1/2 C' = 18-1/4 D = 20-3/4 E = 33-1/2 F = 15-3/8 Δhigh = 40 3/4 to bubbler Δlow = 35-3/8 to bubbler Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with cutout down. See Introduction about changes to rough in dimensions.	17560- WCBL 17550- WCBL	17560-WCBL 17550-WCBL	ELKAY	LIEATL-8
97-07-16	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	ELKAY	LKTE-8
15-3-23	WATER COOLER	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	LMABF8WSLK LMABFDWSSK
17-04-17	WATER COOLER	See Introduction about changes to rough in dimensions.	17560- WCBL	17550-WCBL	ELKAY	LMABFTL8 LMABFTL8WS

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
13-11-20	WATER COOLER	See Introduction about changes to rough in dimensions.	17550-WC	17550-WC	ELKAY	LVRC8S
18-3-29	WATER COOLER	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	LVRC8WS LVRCDWS
16-11-03	WATER COOLER	See Introduction about changes to rough in dimensions.	17560- WCBL	17550-WCBL	ELKAY	LVRCGRNTL8WS K
17-01-03	WATER COOLER	See Introduction about changes to rough in dimensions.	17560- WCBL	17560-WCBL	ELKAY	LVRCTL8SC
16-11-03	WATER COOLER	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	LVRCGRN8WSK LVRCS8S3JO
05-06-24	WATER COOLER	B = 37-3/16 C = 18-1/4 Δ = 40 See Introduction about changes to rough in dimensions.	17550-WC	17550-WC	ELKAY	LWCE-4 LWCE-8
21-11-10	WATER COOLER	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	LZ8WSSSMC
18-03-13	WATER COOLER	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	ELKAY	LZ08 LZ0D
21-02-02	WATER COOLER	See Introduction about changes to rough in dimensions.	17560- WCBL	17560-WCBL	ELKAY	LZOSTL8LC LZOSTL8SC
22-06-23	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	LZS8L LZS8WSLK LZS8WSSK LZS8WSSP LZSDWSLK LZS8WSVRSK LZSDWSVRSK

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
22-12-29	WATER COOLER	See Introduction about changes to rough in dimensions.	17560- WCBL	17560-WCBL	ELKAY	LZTL-8 LZSTL8FC LZSTL8LC LZSTL8WSLK LZSTL8WSLP LZSTL8WSSP LZSTL8WSVRSK LZSTLDDWS LZSTLG8WS LZSTLG8WSSK
19-03-11	BOTTLE FILLER	See Introduction about changes to rough in dimensions.	17560-WC- 60"	17560-WC-60"	ELKAY	LZWSSM
05-06-24	WATER COOLER	B = 38-13/16 C = 36-1/2 C' = 18-1/4 D = 21-13/16 E = 33-7/16 F = 16-7/16 Δ high = 40 5/8 to bubbler Δ low = 35-3/8 to bubbler See Introduction about changes to rough in dimensions.	17560- WCBL 17550- WCBL	17560-WCBL 17550-WCBL	ELKAY	OBFATL-8-C
05-06-24	WATER COOLER	B = 33-7/16 C = 18-1/4 H = 20-11/16 J = 15 Δ = 33-5/8 See Introduction about changes to rough in dimensions.	17560-WC 17550-WC	17560-WC 17550-WC Use rows X & Z on hanger plate, row X on bearing plate. Mount both plates with half moon facing down.	ELKAY	OBF AVR-8
17-09-11	WATER COOLER	See Introduction about changes to rough in dimensions.	17560- WCBL	17560-WCBL	ELKAY	PG8SBFSL PGSBFSL P8SBFSL
12-2-10	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	VRCGNTL8C

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
13-06-06	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	VRCGRN8
13-06-06	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	VRCGRN8WSK
11-02-15	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	VRCHD8S
12-08-17	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL	ELKAY	VRCTL8SC VRCTL8WSK VRCTLDDSC VRCTLDDSK VRCTLR8WSK VRCTLRDDWSK
13-05-20	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC	ELKAY	VRC8S VRC8WSK VRCDS
05-06-24	LAVATORY	See Introduction about changes to rough in dimensions.	17550-UR 17590-DP 17720-66	17550-UR 17590-DP 17720-66-66	ELKAY	WCL-1923 WCL-1923-CS LUSTERTONE 23 X 19
18-01-02	LAVATORY	See Introduction about changes to rough in dimensions.	17720-66	17720-66-M1760	ELKAY	WCL1923OSDC WCL1923OSD WCLWO1923OSDC WCLWO1923OSD